

PALM INTRANET

Day : Monday
Date: 4/3/2006
Time: 07:45:40

Inventor Information for 10/617881

| Inventor Name | City | State/Country |
|-----------------------|-----------------|---------------|
| WESTLUND, RANDY | MINNEAPOLIS | MINNESOTA |
| TOCKMAN, BRUCE | SCANDIA | MINNESOTA |
| CREVENSTEN, GWEN | MINNEAPOLIS | MINNESOTA |
| LIU, LILI | WHITE BEAR LAKE | MINNESOTA |
| ZERBY, CHRISTOPHER M. | NEW BRIGHTON | MINNESOTA |

Appln Info

Contents

Petition Info

Atty/Agent Info

Continuity Data

Foreign Data

Search Another: Application# Searchor Patent# SearchPCT / / Searchor PG PUBS # SearchAttorney Docket # SearchBar Code # Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | | | |
|-------------------|----------|----------|----|--|---------|---------|----------------------------|
| JS 20060047333 A1 | US-PGPUB | 20060302 | 17 | Sensor guided epicardial lead | 607/127 | 607/131 | Tockman; Bruce A. et al. |
| JS 20050234522 A1 | US-PGPUB | 20051020 | | Terminal connector assembly for a medical device and method therefor | 607/37 | | Ley, Gregory R. et al. |
| JS 20050202703 A1 | US-PGPUB | 20050915 | | Multi-polar connector | 439/188 | | Westlund, Randy et al. |
| JS 20050159725 A1 | US-PGPUB | 20050721 | | Method for manipulating an adjustable shape guide catheter | 604/500 | 604/523 | Tockman, Bruce et al. |
| JS 20050137674 A1 | US-PGPUB | 20050623 | | Distal or proximal fixation of over-the-tether myocardial leads | 607/130 | | Coe, M. Sean et al. |
| JS 20050137672 A1 | US-PGPUB | 20050623 | | Myocardial lead | 607/126 | 607/122 | Coe, M. Sean et al. |
| JS 20050137671 A1 | US-PGPUB | 20050623 | | His bundle mapping, pacing, and injection method and lead | 607/122 | | Liu, Lili et al. |
| JS 20050131511 A1 | US-PGPUB | 20050616 | | Cardiac lead having coated fixation arrangement | 607/126 | | Westlund, Randy |
| JS 20050119718 A1 | US-PGPUB | 20050602 | | Absorbable myocardial lead fixation system | 607/130 | | Coe, M. Sean et al. |
| JS 20050113901 A1 | US-PGPUB | 20050526 | | Myocardial lead attachment system | 607/130 | | Coe, M. Sean et al. |
| JS 20050113900 A1 | US-PGPUB | 20050526 | | Myocardial lead with fixation mechanism | 607/130 | | Shiroff, Jason Alan et al. |
| JS 20050090883 A1 | US-PGPUB | 20050428 | | Seal for use with medical device and system | 607/116 | | Westlund, Randy et al. |

| | | | | | | | |
|-------------------|----------|----------|--|---|-----------|---------|-----------------------------|
| JS 20050085885 A1 | US-PGPUB | 20050421 | | Expandable seal for use with medical device and system | 607/122 | 607/127 | Janke, Aaron W. et al. |
| JS 20050080470 A1 | US-PGPUB | 20050414 | | Intramyocardial lead implantation system and method | 607/119 | | Westlund, Randy et al. |
| JS 20050070986 A1 | US-PGPUB | 20050331 | | Guide wire stylet | 607/122 | | Tockman, Bruce A. et al. |
| JS 20050070983 A1 | US-PGPUB | 20050331 | | Lead system having lead body with minimized cross-section | 607/122 | | Rugnetta, Jaime L. et al. |
| JS 20050070844 A1 | US-PGPUB | 20050331 | | Deflectable catheter assembly and method of making same | 604/95.04 | | Chow, Mina et al. |
| JS 20050065568 A1 | US-PGPUB | 20050324 | | Cardiac stimulation at high ventricular wall stress areas | 607/17 | | Liu, Lili et al. |
| JS 20050049510 A1 | US-PGPUB | 20050303 | | Method and apparatus for catheterization by detecting signals indicating proximity to anatomical features | 600/483 | | Haldeman, Paul Craig et al. |
| JS 20050027343 A1 | US-PGPUB | 20050203 | | Modified guidewire for left ventricular access lead | 607/122 | 607/116 | Westlund, Randy W. et al. |
| JS 20040215306 A1 | US-PGPUB | 20041028 | | Implantable lead with dissolvable coating for improved fixation and extraction | 607/122 | | Heil, Ronald W. JR. et al. |
| JS 20040153098 A1 | US- | 20040805 | | Apparatus and | 606/129 | 600/374 | Chin, Albert K. |

| | | | | | | | |
|-------------------|----------|----------|--|--|------------|------------------|-------------------------|
| | PGPUB | | | method for endoscopic cardiac mapping and lead placement | | | et al. |
| JS 20040147993 A1 | US-PGPUB | 20040729 | | Medical electrical lead employing load bearing sleeve | 607/122 | | Westlund, Randy et al. |
| JS 20040122499 A1 | US-PGPUB | 20040624 | | Coronary vein lead having combination fixation features with lumen restriction and method therefor | 607/122 | | Westlund, Randy |
| JS 20040093052 A1 | US-PGPUB | 20040513 | | Multi-polar connector | 607/116 | | Westlund, Randy et al. |
| JS 20040082986 A1 | US-PGPUB | 20040429 | | Unitary medical electrical lead and methods for making and using same | 607/122 | | Westlund, Randy et al. |
| JS 20040049158 A1 | US-PGPUB | 20040311 | | Hemostasis valve for use with a left ventricular pacing lead | 604/167.03 | 606/129 | Ley, Gregory R. et al. |
| JS 20040039371 A1 | US-PGPUB | 20040226 | | Coronary vein navigator | 604/528 | 600/434; 606/129 | Tockman, Bruce et al. |
| JS 20030212373 A1 | US-PGPUB | 20031113 | | Peel-away sheath | 604/263 | | Hall, Jeffrey A. et al. |
| JS 20030195603 A1 | US-PGPUB | 20031016 | | Leads for pacing and/or sensing the heart from within the coronary veins | 607/122 | 607/125; 607/126 | Scheiner, Avram et al. |
| JS 20030109914 A1 | US-PGPUB | 20030612 | | Coronary vein leads having an atraumatic TIP and method therefor | 607/122 | | Westlund, Randy et al. |
| JS 20030105506 A1 | US-PGPUB | 20030605 | | Apparatus and method for stabilizing an | 607/126 | | Krishnan, Mohan et al. |

| | | | | | | | |
|-------------------|----------|----------|--|--|---------|------------|-----------------------------|
| | | | | implantable lead | | | |
| JS 20030105451 A1 | US-PGPUB | 20030605 | | Adjustable length catheter assembly | 604/532 | 604/165.01 | Westlund, Randy et al. |
| JS 20030074031 A1 | US-PGPUB | 20030417 | | Micro terminal connector | 607/37 | | Ley, Gregory R. et al. |
| JS 20030036779 A1 | US-PGPUB | 20030220 | | Multi-polar connector | 607/37 | | Westlund, Randy et al. |
| JS 20020198264 A1 | US-PGPUB | 20021226 | | Methoxyamine combinations in the treatment of cancer | 514/589 | 514/645 | Gerson, Stanton L. et al. |
| JS 20020188278 A1 | US-PGPUB | 20021212 | | Method and apparatus for an adjustable shape guide catheter | 604/527 | | Tockman, Bruce et al. |
| JS 20020111664 A1 | US-PGPUB | 20020815 | | Low profile, ventricular, transvenous, epicardial defibrillation lead | 607/122 | | Bartig, Jeffrey T. et al. |
| JS 20020107551 A1 | US-PGPUB | 20020808 | | Pacing and sensing vectors | 607/9 | | Stahmann, Jeffrey E. et al. |
| JS 20020082651 A1 | US-PGPUB | 20020627 | | Pacing and sensing vectors | 607/9 | | Stahmann, Jeffrey E. et al. |
| JS 20020077686 A1 | US-PGPUB | 20020620 | | Modified guidewire for left ventricular access lead | 607/119 | | Westlund, Randy W. et al. |
| JS 20020077683 A1 | US-PGPUB | 20020620 | | Seal for use with medical device and system | 607/116 | | Westlund, Randy et al. |
| JS 20020045926 A1 | US-PGPUB | 20020418 | | Implantable lead with dissolvable coating for improved fixation and extraction | 607/116 | | Heil, Ronald W. JR. et al. |
| JS 20020016622 A1 | US-PGPUB | 20020207 | | Expandable seal for use with medical device | 607/116 | | Janke, Aaron W. et al. |

| | | | | | | | |
|---------------|-------|----------|--|--|------------|---|----------------------------|
| | | | | and system | | | |
| JS 7013181 B2 | USPAT | 20060314 | | Coronary vein lead having combination fixation features with lumen restriction and method therefor | 607/120 | 604/256; 607/128 | Westlund; Randy |
| JS 6961621 B2 | USPAT | 20051101 | | Apparatus and method for stabilizing an implantable lead | 607/126 | | Krishnan; Mohan et al. |
| JS 6939327 B2 | USPAT | 20050906 | | Peel-away sheath | 604/164.05 | 604/160 | Hall; Jeffrey A. et al. |
| JS 6912423 B2 | USPAT | 20050628 | | Terminal connector assembly for a medical device and method therefor | 607/37 | 439/527; 439/585; 439/668; 439/736; 439/874; 439/877; 439/908; 607/116; 607/119; 607/122; 607/126; 607/132; 607/27; 607/38 | Ley; Gregory R. et al. |
| JS 6901288 B2 | USPAT | 20050531 | | Sealing assembly for intravenous lead | 607/9 | 600/374; 607/122 | Janke; Aaron W. et al. |
| JS 6895277 B2 | USPAT | 20050517 | | Multi-polar connector | 607/37 | 439/527; 439/592; 439/668; 439/874; 607/116; 607/122; 607/132; 607/38 | Westlund; Randy et al. |
| JS 6723073 B2 | USPAT | 20040420 | | Hemostasis valve for use with a left ventricular pacing lead | 604/167.01 | 604/167.02; 604/167.04; 604/167.06 | Ley; Gregory R. et al. |

| | | | | | | | |
|---------------|-------|----------|--|--|---------|---|-----------------------------|
| JS 6706018 B2 | USPAT | 20040316 | | Adjustable length catheter assembly | 604/194 | 604/159 | Westlund; Randy et al. |
| JS 6671560 B2 | USPAT | 20031230 | | Modified guidewire for left ventricular access lead | 607/116 | 607/119; 607/122 | Westlund; Randy W. et al. |
| JS 6643550 B2 | USPAT | 20031104 | | Multi-polar connector | 607/37 | 439/527; 439/592; 439/668; 439/874; 607/116; 607/122; 607/132; 607/38 | Westlund; Randy et al. |
| JS 6635677 B2 | USPAT | 20031021 | | Methoxyamine combinations in the treatment of cancer | 514/645 | 514/23; 514/263.31; 514/274; 514/33; 514/34; 514/49; 514/50; 514/589 | Gerson; Stanton L. et al. |
| JS 6634364 B2 | USPAT | 20031021 | | Method of deploying a ventricular lead containing a hemostasis mechanism | 128/898 | 128/899; 600/374; 607/116; 607/122 | Westlund; Randy et al. |
| JS 6584363 B2 | USPAT | 20030624 | | Implantable lead with dissolvable coating for improved fixation and extraction | 607/126 | | Heil, Jr.; Ronald W. et al. |
| JS 6584362 B1 | USPAT | 20030624 | | Leads for pacing and/or sensing the heart from within the coronary veins | 607/122 | 607/125 | Scheiner; Avram et al. |
| JS 6465448 B1 | USPAT | 20021015 | | Methoxyamine potentiation of temozolomide anti-cancer | 514/183 | 514/645 | Gerson; Stanton L. et al. |

| | | | | | | | |
|---------------|-------|----------|--|--|---------|---------------------------------|-----------------------------|
| | | | | activity | | | |
| JS 6408213 B1 | USPAT | 20020618 | | Low profile, ventricular, transvenous, epicardial defibrillation lead | 607/122 | | Bartig; Jeffrey T. et al. |
| JS 6356791 B1 | USPAT | 20020312 | | Modified guidewire for left ventricular access lead | 607/115 | 607/119; 607/122; 607/125 | Westlund; Randy W. et al. |
| JS 6304786 B1 | USPAT | 20011016 | | Implantable lead with dissolvable coating for improved fixation and extraction | 607/126 | 607/120 | Heil, Jr.; Ronald W. et al. |
| JS 6240321 B1 | USPAT | 20010529 | | Expandable seal for use with medical device and system | 607/122 | 600/374; 607/116 | Janke; Aaron W. et al. |
| JS 6178356 B1 | USPAT | 20010123 | | Coronary venous lead having fixation mechanism | 607/128 | | Chastain; Stuart A. et al. |
| JS 6136021 A | USPAT | 20001024 | | Expandable electrode for coronary venous leads | 607/122 | 600/381; 607/119; 607/125 | Tockman; Bruce A. et al. |
| JS 6129750 A | USPAT | 20001010 | | Fixation mechanism for a coronary venous pacing lead | 607/125 | 600/585; 607/122 | Tockman; Bruce A. et al. |
| JS 6122552 A | USPAT | 20000919 | | Insertion apparatus for left ventricular access lead | 607/116 | | Tockman; Bruce A. et al. |
| JS 6033414 A | USPAT | 20000307 | | Torque device for left ventricular lead systems | 606/129 | 607/122 | Tockman; Bruce A. et al. |
| JS 6018684 A | USPAT | 20000125 | | Slotted pacing/shocking electrode | 607/122 | 600/374 | Bartig; Jeffrey T. et al. |

| | | | | | | | |
|--------------|-------|----------|---|---|---------|---------------------------|-----------------------------|
| JS 5951597 A | USPAT | 19990914 | | Coronary sinus lead having expandable matrix anchor | 607/126 | | Westlund; Randy W. et al. |
| JS 5935160 A | USPAT | 19990810 | | Left ventricular access lead for heart failure pacing | 607/122 | | Auricchio; Angelo et al. |
| JS 5935154 A | USPAT | 19990810 | | Implantable tissue stimulator incorporating deposited multilayer capacitor | 607/36 | 361/313; 607/2 | Westlund; Randy W. |
| JS 5931864 A | USPAT | 19990803 | | Coronary venous lead having fixation mechanism | 607/128 | | Chastain; Stuart R. et al. |
| JS 5925073 A | USPAT | 19990720 | | Intravenous cardiac lead with wave shaped fixation segment | 607/122 | 607/125; 607/126 | Chastain; Stuart R. et al. |
| JS 5836987 A | USPAT | 19981117 | | Apparatus and method for optimizing cardiac performance by determining the optimal timing interval from an accelerometer signal | 607/17 | 607/18 | Baumann; Lawrence S. et al. |
| JS 5803928 A | USPAT | 19980908 | | Side access "over the wire" pacing lead | 607/122 | 600/374 | Tockman; Bruce A. et al. |
| JS 5755766 A | USPAT | 19980526 | | Open-ended intravenous cardiac lead | 607/122 | 600/381; 607/119; 607/120 | Chastain; Stuart R. et al. |
| JS 5755765 A | USPAT | 19980526 | 7 | Pacing lead having detachable positioning member | 607/122 | 607/119; 607/125 | Hyde; Gregory M. et al. |
| JS 5749911 A | USPAT | 19980512 | | Implantable | 607/36 | 607/2; | Westlund; |

| | | | | | | |
|--------------|-------|----------|--|---------|-----------------------------|---------------------------|
| | | | tissue stimulator incorporating deposited multilayer capacitor | | 607/5 | Randy W. |
| JS 5584868 A | USPAT | 19961217 | Cardiac stimulating apparatus and method for heart failure therapy | 607/17 | | Salo; Rodney W. et al. |
| JS 5540727 A | USPAT | 19960730 | Method and apparatus to automatically optimize the pacing mode and pacing cycle parameters of a dual chamber pacemaker | 607/18 | 607/17 | Tockman; Bruce A. et al. |
| JS 5487752 A | USPAT | 19960130 | Automated programmable stimulating device to optimize pacing parameters and method | 607/17 | 607/22; 607/23 | Salo; Rodney W. et al. |
| JS 5417717 A | USPAT | 19950523 | Implantable cardiac function monitor and stimulator for diagnosis and therapy delivery | 607/18 | 607/23; 607/24; 607/3 | Salo; Rodney W. et al. |
| JS 5334222 A | USPAT | 19940802 | Cardiac stimulating apparatus and method for heart failure therapy | 607/17 | 607/23; 607/24 | Salo; Rodney W. et al. |
| JS 4899759 A | USPAT | 19900213 | Flow-through resistivity cell | 600/506 | 600/547 | Pederson; Brian D. et al. |